




HEART PINE + BLACK



PRODUCT DOWNLOADS


# FLOOR BANG

ALL SIZES SPEC SHEET



**FRONT**

□ Bulb Profile  
0.81 in x 1.3 in  
2.1 cm x 3.3 cm



**DESIGN**

© 2012

**PATENTS**

U.S. Patent #10386046  
U.S. Patent #D886364

**MATERIALS**

LED, Sustainably Sourced or Reclaimed Wood, Steel

**FEATURES**

UL Damp Rated  
Bulb direction reversible  
Soft-touch 4-stage dimmer switch  
Wall Plug-In Driver

**CERTIFICATIONS**



**ORIGIN OF MANUFACTURE**

New York City, USA

**LIGHT SPECIFICATION**

Standard Brightness LEDs :  
1,470 Lumens / 94 CRI (3000K) /  
47W Power draw

**FIXTURE WEIGHT**

15 lbs / 6.8 kg


**SHIPPING DIMENSIONS**

Ships flat-packed in a corrugated cardboard box.  
62 in x 7 in x 11 in  
16 lbs / 7.3 kg

**SPECIFY PRODUCT OPTIONS:**

MODEL	WOOD	METAL	COLOR TEMP	PLUG TYPE
BBL				

**SIDE**



**WOOD\***

Maple	<b>M A</b>
American Walnut	<b>W A</b>
Clear White Oak	<b>C W</b>
Ebonized Oak	<b>E O</b>
Heart Pine (Reclaimed)**	<b>H P</b>
Water Tower Redwood (Reclaimed)**	<b>W T</b>

\* Custom options available upon approval.

\*\* Our reclaimed woods exhibit variations in tone and grain.

**COLOR TEMP**

2400K	<b>2 4 0 0</b>
2700K	<b>2 7 0 0</b>
3000K (Standard)	<b>3 0 0 0</b>
3500K	<b>3 5 0 0</b>
4000K	<b>4 0 0 0</b>

**DRIVER PLUG TYPE**

US (Type A) Ⓡ	<b>U S</b>
EU (Type C) Ⓡ	<b>E U</b>

**METAL\***

**STANDARD FINISH**

White	<b>W H</b>
Slate Grey	<b>S G</b>
Matte Black	<b>M B</b>

**PREMIUM I FINISH**

Blackened	<b>B L</b>
Brushed Nickel	<b>B N</b>
Brushed Brass	<b>B B</b>

**PREMIUM II FINISH**

Polished Nickel	<b>P N</b>
Polished Brass	<b>P B</b>

\* Custom options available upon approval.



All of our wood and metal products should be dusted by hand with a dry Swiffer pad (or equivalent) on a regular schedule to maintain surface integrity. It is imperative that none of our products come into contact with bleach, vinegar, lemon juice or any household product which may contain these or other solvents.

If any part of one of our fixtures becomes soiled with dried residue or grime, wipe the affected area with a soft cloth dampened very lightly with warm water and immediately wipe dry with another soft cloth. If this does not complete the task, wipe with a cloth soaked in diluted mild liquid dish soap and again immediately dry.

Fingerprints on our Nickel-plated, Brass-plated, and Blackened metal hardware can be removed with a clean, dry, soft cloth. We recommend an ultra-fine, textureless microfiber cleaning cloth (as one uses to clean glass).

All of our Brass hardware is treated with a protective coating to prevent tarnish. It should need no more than a wipe with a clean, dry, soft cloth to remove fingerprints and dust.

Brushed metal surfaces should be buffed in the direction of the grain.

For scratches in wood we highly recommend Claphams beeswax, which is non-toxic and can be applied by hand. Rub a small amount into the scratch area and buff with a dry cloth.

